



Shenzhen Eproer Tech Co.,Ltd.

Catalog for Remote Door Lock

EP-D918-G



EP-D918-S



Material: Zinc Alloy

Unlock Way: Remote , Code, Mechanical Key, Card

Card Type: Mifare 1K Card (13.56MHz)

Remote Distance: Within 20 meters

Door Type: Wooden Door, Security Door

Power: DC 6V (4 pcs* AA batteries)

EP-D1078-G



EP-D1078-S



Material: Zinc Alloy

Unlock Way: Remote , Code, Mechanical Key, Card

Card Type: M1 (13.56Mhz)

Remote Distance: Within 20 meters

Door Type: Wooden Door, Security Door

Power: DC 6V (4 pcs* AA batteries)

EP-L901B-G



EP-L901B-S



Material: Zinc Alloy

Unlock Way: Remote , Code, Mechanical Key, Card

Door Thickness: 30mm-60mm

Dimension: 160L*68W*36H(mm)

Power: DC 6V (4 pcs* AA batteries)

Handle Direction: Right or Left Adjustable

EP-L902A-G



EP-L902A-S



Material: Zinc Alloy

Unlock Way: Remote , Code, Mechanical Key, Card

Door Thickness: 30mm-60mm

Dimension: 160L*68W*36H(mm)

Power: DC 6V (4 pcs* AA batteries)

Handle Direction: Right or Left Adjustable



Shenzhen Eproer Tech Co.,Ltd.

Catalog for Fingerprint Door Lock

EP-D801-G



EP-D801-HG



Material: Zinc Alloy

Unlock Way: Fingerprint, Code, Card, Mechanical key

Card Type: M1 (13.56Mhz)

Mortise: European Standard

Door Type: Wooden Door, Security Door

Power: DC 6V (4 pcs* AA batteries)

EP-D802-G



EP-D802-S



Material: Zinc Alloy

Unlock Way: Fingerprint, Code, Card, Mechanical key

Card Type: M1 (13.56Mhz)

Mortise: European Standard

Door Type: Wooden Door, Security Door

Power: DC 6V (4 pcs* AA batteries)

Contact Us

Talk about your project, for home/hotel or other, contact for Free customized solutions.

Website: www.eproer.com

Email: sales@eproer.com

WhatsApp: +86 186 8033 6637